

# PLATINUM BOND SEAPLEX LEAVE ON

CODE: 01HLO02052301

**ASSESSA**  
www.assessa.com.br

Light emulsion, which provides thermal protection, anti-frizz and repair to the hair. **Directions for use:** Apply to the length and ends of the hair. Finish as you wish.

	TRADE NAME	INCI NAME	%	FUNCTION	SUPPLIER
<b>A</b>	DISTILLED WATER	Aqua	qsp	Vehicle	-
	SODIUM GLUCONATE	Sodium Gluconate	0.10	Chelator	-
<b>B</b>	<b>CARBOGREEN QB</b>	<b>Zea Mays (Corn) Starch (and) Caesalpinia Spinosa Gum (and) Algin</b>	<b>2.00</b>	<b>Texture, sensorial, soft touch and glide to the hair and quick drying.</b>	<b>ASSESSA</b>
<b>C</b>	CETEARETH-20	Ceteareth-20	1.00	Emulsifier	-
<b>D</b>	BEHENTRIMONIUM METHOSULFATE	Behentrimonium Methosulfate	2.50	Conditioning agent	-
<b>E</b>	CETEARYL ALCOHOL	Cetearyl Alcohol	2.00	Thickener	-
	<b>PLUGIN GS</b>	<b>Salvia Hispanica (Chia) Seed Extract, Helianthus annuus (Sunflower) Seed Oil, Simmondsia Chinensis (Jojoba) Seed Oil, Isopropyl Palmitate, C13-15 Alkane, Tocopheryl Acetate</b>	<b>2.00</b>	<b>Alternative to Silicone D5, shine, softness, prevention of split ends</b>	<b>ASSESSA</b>
	ISOPROPYL PALMITATE	Isopropyl Palmitate	2.50	Emollient	-
	VITAMIN E	Tocopherol	0.10	Antioxidant	-
<b>F</b>	CETRIMONIUM CHLORIDE (50%)	Cetrimonium Chloride (50%)	1.00	Conditioning agent	-
<b>G</b>	<b>SEAPLEX</b>	<b>Aqua, Hydrolyzed Rice Bran Protein, Hydrolyzed Soy Protein, Glycine, Algin, Sodium Carrageenan, Sodium Benzoate and Potassium Sorbate</b>	<b>2.00</b>	<b>Hair protection and repair</b>	<b>ASSESSA</b>
	<b>LISSELINIBS</b>	<b>Linum usitatissimum Seed Extract, Glyceryl Oleate Citrate, Caprylic/Capric Triglyceride, Algin, Sodium Benzoate and Potassium Sorbate.</b>	<b>3.00</b>	<b>Thermal protection, anti-frizz, alignment and combing</b>	<b>ASSESSA</b>
<b>H</b>	MICROCARE PEHG	Phenoxyethanol and Ethylhexylglycerin	0.80	Preservative	Thor
<b>I</b>	VANILLA AND LAVENDER (SCE662076)	Parfum	3.00	Fragrance	Scntec
<b>J</b>	CITRIC ACID	Citric Acid	qs	pH Adjustment	-

**PROCEDURE:** Add phase **A** to a container and mix until dissolved. Gradually add phase **B** at room temperature with stirring, heated to 90 °C. With a temperature of 90 °C, homogenize for 20 min with vigorous stirring. Add phase **C** and mix for 10 min. Add phase **D** and stir for 10 min. Then, add phase **E** and mix for 10 min. It starts to cool. At 70 °C add phase **F** and stir for 5 min. Below 40 °C add phases **G**, **H**, and **I**, respectively, with 5 min between each phase. Adjust the pH with phase **J**. **FORMULA SPECIFICATION:** Viscosity: 10.000-15.000 (Brookfield RVT - Spindle 5/20 RPM). pH: 4,0 - 5,0

Formulation developed and tested in our laboratories with the ingredients and quantities described. ASSESSA is not responsible for changes that may occur due to adaptations without additional tests.