## HAIR REPAIR WITH LINSEED & RICE (LEAVE ON)



CODE 031 P12021903

Finisher gel, thermal protector with a light, soft and velvety touch, shapes the threads, reduces frizz and repairs the hair fiber

	TRADE NAME	INCI NAME	%	FUNCTION	SUPPLIER
A	DEIONIZED WATER DISSODIUM EDTA	Water Dissodium EDTA	qsp 0.10	Vehicle Chelator	- -
В	CARBOGREEN EI  Approved by ECOCERT RAW MATERIAL	Oryza Sativa Rice Starch (and) Cyamopsis Tetragonoloba (Guar) Gum and Algin	2.00	Velvety Sensory, Dry touch on the hair, Spreadability, Thickener, Viscosity Controller and Film Forming	ASSESSA
	CARBOGREEN EO  Approved by ECOCERT RAW MATERIAL	Oryza Sativa Rice Starch (and) Tapioca Starch (and) Cyamopsis Tetragonoloba (Guar) Gum (and) Algin	1.00	Velvety Sensory, Dry touch on the hair, Spreadability, Suspension agent, Thickener, Viscosity Controller and Film Forming	ASSESSA
C	LISSELINI Approved by ECOCERT RAW MATERIAL	Linum Usitatissimum Seed Extract (and) Algin*	3.00	Styling, Emollient, Anti-Frizz and Thermal Protector	ASSESSA
D	FILCORTEX VEG	Water (and) Kappaphycus Alvarezii Extract (and) Laminaria Saccharina Extract (and) Hydrolyzed Rice Bran Protein (and) Hydrolyzed Soy Protein (and) Glycine*	3.00	Replaces proteins of the hair cortex, repairs brittle and damaged hair, replaces hair mass and acts as a thermal protector of hair fiber.	ASSESSA
E	EUXYL PE 9010	Phenoxyethanol and Ethylhexylglycerin	1.00	Preservative	Schulke
F	FRAGRANCE 30108302	Fragrance	0.50	Parfum	Drom

**PROCEDURE:** Add phase A in a recipient and start to stir till dissolution. Add gradually phase B at room temperature with stir, heat till 80 °C and till complete dissolution. Start to cool. After 30 °C add phases C, D, E and F, respectively, with 5 min between each phase. **pH: 5.5 – 6.5** 

<sup>\*</sup>Consult the different preservative systems available. It is not included in INCI.